Final Report Form 3400-189 (rev. 7/30/09)

- Targeted Runoff Management Grant Program (ch. NR 153)
 Notice of Discharge Program (ch. NR 153)
- Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

NOTICE: This Final Report is authorized under ss. 281.65 and 281.66., Wis. Stats., and chs. NR 153 and NR 155, Wis. Admin. Code. Personally identified information collected will be used for program administration and may be made available to requesters as required under Wisconsin Open Records Law [ss. 19.31-19.39, Wis. Stals.].

INSTRUCTIONS: Your grant agreement requires you to submit a Final Report with your final relmbursement request. This Final Report form must be used in conjunction with the "FINAL REPORT INSTRUCTIONS." The instructions detail how to complete and submit the report to

DNR as described in the instructions.									
1. GRANT TYPE: Check the one that applies:									
☐ Targeted Runoff Management Grant – Agricultural		Targeted Runoff Management Grant - Urban							
☑ Urban Nonpoint Source & Storm Water Management Grant ~ Construction		Urban Nonpoint Source & Storm Water Management Grant – Planning							
☐ Notice of Discharge Grant									
2. PROJECT NAME & LO	CATION.								
2.1. Project Name:			2.2. G	rant Number:					
Replacement of stormwater in	ets with catch basins		USC-MI03-40291-08A						
2.3. Governmental Unit Name:			2,4. Primary Watershed Name:			:	2.5. Watershed Code:		
City of Wauwatosa			Menor	nonee River			MI03-08		
NOTE FOR SECTION 2.6 (whice	h follows):								
Section 2.6. includes five (5) co discrete project locations, attach Hydrologic Unit Code (HUC), use	additional columns for S	ection 2.6 as de	escribed	In the instruction HUC numbers.	site tocations ons. If your p	s. If yo project	our grant has n occurs in mor	nore than fiv e than one 1	e (5) i 2-digit
2.6 Site Location(s) →	A	8.		C,			D, and	E	
Name of Cost-Share Recipient or Governmental Unit	City of Wauwatosa								
Cost-Share Agreement Number (Agricultural only)				huutebaar.					
12-Digit Hydrologic Unit Code(s) (HUC) Where Work Was Completed								***************************************	DUTTON Y STEIN A COLOR
Nearest Surface Receiving Water Affected									
Name:	Menomonee River								
Waterbody Identification Code(s) (WBIC):	Mi03							**************************************	
Nearest Impaired Water Affected									
Name:	Menomonee River								
Waterbody Identification Code(s) (WBIC):	MI03								
Pollutants Reduced	Total Suspended Solids- TSS								
Impairments/Impacts Addressed					es anno se mano se man	···			

Wisconsin Department of Natural Resources Wisconsin Department of Natural Resource: Bureau of Watershed Management (WT/3) 101 S. Webster St. Madison, WI 53703 PO Box 7921 Madison, WI 53707-7921

- Final Report Form 3400-189 (rev. 7/30/09)

 Targeted Runoff Management Grant Program (ch. NR 153)

 Notice of Discharge Program (ch. NR 153)

 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 165)

Project Location(s) (cont.)	A	В,	G).	Ď,	E;
Project Coordinates					
Town	7				
Range	21E				
Section	CITYWIDE				
Quarter					
Quarter-Quarter				,	
Latitude (degrees, minutes, seconds North of Equator; use the DNR's Surface Water Data Viewer (SWDV))					
Longitude (degrees, minutes, seconds W of Prime Meridian, use the SWDV)					

3. SUMMARY OF RESULTS.			
Table A. Agricultural Projects Ch. NR	151 Performance Standards a	nd Prohibitions and Other)	Water Resources Management Priorities
A.1. Management Measures	Units of Measure	Quantity	Measurement Method Used
Sheet, rill and wind erosion	Acres meeling "T"	acres	
Manure Storage Facilities:	Number of facilities	facilities	
New Construction/Alterations	Number of animal units	animal units	
Manure Storage Facilities: Closure	Number of facilities	facilities	
Manure Storage Facilities:	Number of facilities	facilitles	
Failing/Leaking Facilities	Number of animal units	animai units	
7/1	Pollutant load reduction	lbs.	
Clean Water Diversions in WQMA	Number of farms with diversions	farms	
	Number animal units	animal units	
Nutrient Management on Agricultural Land	Acres planned	acres	
Date War Manua Pharago Ouoglou	Number of farms	farms	,
Prohibition: Manure Storage Overflow	Number of animal units	animal units	
Prohibition; Unconfined Manure Pile In WQMA	Number of farms	farms	The state of the s
	Pollutant load reduction	lbs.	
Prohibition: Direct Runoff From Feedlot/Stored Manure	Number of facilities	facilities	
	Number of animal units	animal units	
- 141 M	Feet of bank protected	feet	•
Prohibition: Unlimited Livestock Access	Number of farms	farms	444

Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153) Notice of Discharge Program (ch. NR 153)

- . Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

			A CONTRACTOR OF THE CONTRACTOR
Table A. Agricultural Projects.			
(continued)	- Units of Measure	== Quantity	Measurement Method Used
A/2, Other Management Measures	Units (use feet, acres or		
Streambank & Shoreline Protection	number as applicable)		
	Pollutant load reduction (if		
	method available)		
Other:	Units (use feet, acres or		
	number as applicable) Pollutant load reduction (If		
	method available)		
	Units (use feet, acres or		
Other:	number as applicable)		
	Pollutant load reduction (if method available)		
	Units (use feet, acres or		
Others	number as applicable)		
Olher:	Pollutant load reduction (if		
277	method available)	<u> </u>	, , , , , , , , , , , , , , , , , , ,
		•	
Table B., Urban Construction Projects S	orving Daveloped Areas.		
Bil. Required Management Measures	Units of Measure	Quantity	Measurement Method Used
20-40% Total Suspended Solids (TSS)	TSS reduced	9830 lbs.	WINSLAMM
Reduction for NR 216 communities	TSS reduction	13.3 %	WINSLAMM
B:2: Other Management Measures			
20-40% Reduction in TSS for	TSS reduced	lbs.	
non-NR 216 communities	TSS reduction	%	
Infiltration	Pre-development stay-on volume	%	
	Stay-on volume	ft³/year	
Peak flow discharge for 2 year/24 hour design storm	Change in cubic feet per second for design year	ft³/sec	
Protective areas	Bank protected	feet	100000000000000000000000000000000000000
Fueling & maintenance areas	Olly sheen presence reduced	☐Yes ☐ No	
	Bank erosion reduced	tons	
Streambank & Shoreline Protection	Bank protected	feet	
	Pollutant load reduction (if method available)		
Other:	Units (use feet, acres or number as applicable)		
Table C. Urban Planning Projects.	production and the second		
C.1. Governmental unit(s) Involved (list by I	name):		
	·		
City of Wauwatosa			
	•		
			•
C.2. Estimate total acres covered by the	Existing Developed Urban Area	is New Develop	nent Total Acres

- Final Report Form 3400-189 (rev. 7/30/09)

 Targeted Runoff Management Grant Program (ch. NR 153)

 Notice of Discharge Program (ch. NR 153)

 Urban Nonpoint Source & Storm Water Management Grant Program (ch. NR 155)

planning product:	acres	acres	астеѕ
C.3. Products developed (check all below that apply)	i di	entify Documents by Name (if applic	able)
Storm Water Plan			
Construction or Erosion Ordinances			
Post-construction Storm Water Ordinances			
Other Types of Storm Water Quality Ordinances			
Financing Methods: identified and evaluated			
Financing Methods; developed or implemented			
☐ I & E Plan			
I & E Implementation Activities			
Other:			
C.4. Identify the Storm Water goals addressed (check all that apply)			
Reduce TSS	Comments:		
Maintain infiltration	Odininejko,	·	
Control Peak Flow		,	
Protective Areas			
Control of Fueling & Maintenance Areas		•	
Remove Illicit Discharges	,		
Other:			
4. Satisfaction of Notice Require provide information to each notice in the t	e ments. If cost sharing for this pr	oject was offered under a formal not	ice pursuant to clis. NR 151 or 243;
Notice Information			Notice Satisfaction information
Chs. NR 151 or 243 Issue Date Notice Type	From:(Name)	To (Name)	Salisfied? Yes No. Date Letter Sent
			пП
		<u> </u>	

Final Report Form 3400-189 (rev. 7/30/09) Targeted Runoff Management Grant Program (ch. NR 153)

- Notice of Discharge Program (ch. NR 153)
 Urban Nonpoint Source & Storm Water Management Grant
 Program (ch. NR 156)

A total of 62 inlets were replaced with catch basins and manhocatch basin installation, it was found that the total suspended stass load after the catch basin replacement was 983.7lbs/acre/ye The total pollutant load reduced for the 62 catch basins is 9,380.	olids (TSS), before catch basin replace ear, for an average annual pollutant loa	ement, was 1135lbs/acre/year and the	
6. Summary of Project Challenges. (Space will expand	to fit your text.)		
No major project challenges encountered. All work was part of	the annual utility contracts.		
7. Grantee Certification.			
Checking here C certifies that, to the best of your knowledge, the in	formation contained in this report is corre	ect.	
Name of Authorized Representative (type or print) ↓	sentative (type or print) ↓ Title of Authorized Representative (type or print) ↓		
Michael Maki	Stormwater Engineer		
Signature of Authorized Representative		Date 4/19/10	
8. For Departmental Use Only.			
Regional NPS Coordinator – Please complete the following: 8.A. Check here — If you have received the following from the project one (1) printed, signed, original Final Report + attaction of each original Final Report. Send the printed, signed original Final Report with attachments + elections of Final Report Financial Assistance will forward to Runoff Management.	ect sponsor: chments) ctronic version to the Community Financi	lal Assistance Grants Manager.	
8,B. Comments about this project:			
	Usan Eiche/Kau	· 1946 - [17] "大台,不是一个,只是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	
8.D. Signature of Regional NPS Coordinator		8.E.Date (1.23.7)	